

BRICK PAVER COLLECTION

Lawrenceville Paver Series

2024



Brick Paver Collection

Crafting paths with permanence and style



Product Overview

Genuine clay brick pavers offer unmatched durability, timeless charm, and versatile design options for outdoor spaces. Crafted from natural clay, these pavers are kiln-fired to perfection, ensuring enduring strength against weathering and heavy foot traffic. Their inherent thermal properties provide comfort underfoot and enhance outdoor aesthetics, while their low maintenance requirements make them a practical and sustainable choice for long-lasting beauty. Trust in genuine clay brick pavers to elevate any outdoor environment with elegance and sophistication.



Details

With a rich palette of colors genuine clay brick pavers allow for endless customization, making them ideal for driveways, walkways, patios, and landscaping projects.

See the next few pages for paving brick color options from Lawrenceville, or visit www.glengery.com


Size

Size	Width	Height	Length	Weight	Brick per Sqft
2-1 Paver	3-11/16"	2-1/4"	7-3/8"	4.9	5.30
Modular Paver	3-9/16"	2-1/4"	7-5/8"	4.9	4.57


These pavers meet ASTM testing standard C902 (pedestrian and light vehicle)

Patterns


Paver patterns, ranging from classic herringbone to intricate basket weave designs, add visual interest and character to outdoor spaces, enhancing both aesthetics and functionality. All patterns below can be achieved with the 2-1 Paver size laid dry, (without mortar). For the Modular pavers, the herringbone, single basket weave and double basket weave patterns require to be laid wet with 3/8" mortar joint, but the running bond and stacked bond patterns can be achieved with or without mortar.




Running Bond




Stacked Bond



Herringbone



Single Basket Weave



Double Basket Weave











Discover the possibilities at glengery.com

A BRAND OF

BRICKWORKS

Due to printing limitations, color and texture may vary from actual product. Final selection should always be based on a current physical brick sample. Product range, offering and availability is subject to change. For more information, contact your Glen-Gery representative.

© 2024 Glen-Gery Corporation • 5/24/TSG